

Report No. 報告號碼: 48272296c 001

Page 1 of 6
第1頁 共6頁

Client 客戶: TANG ENG IRON WORKS CO., LTD./唐榮鐵工廠股份有限公司
No 4. Yanhai 2nd Rd., Hsiao Kang, Kaohsiung 81260, Taiwan, R.O.C.
台灣 高雄市小港區81260沿海二路4號

Identification/Model No(s): 不銹鋼 Stainless Steel / 316
樣品描述規格:

Sample obtaining method: Sending by customer
樣品獲取方式:

Condition at delivery: Test item complete and undamaged.
樣品接收狀態:

Sample receiving date: 2025-01-17
收樣日期:

Testing period: 2025-01-17 – 2025-02-10
測試週期:

Place of testing: TÜV Rheinland Hong Kong Ltd.
測試地點:

Test specification 測試要求:

According to RoHS (recast): Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment Directive (EU) 2015/863: Total Content of Lead, Cadmium, Mercury, Chromium VI, Polybrominated Biphenyls, Polybrominated Diphenyl Ethers; and Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP), Bis(2-ethylhexyl) phthalate (DEHP), Diisobutyl phthalate (DIBP) / 依據電機電子設備限用有害物質指令(RoHS 2011/65/EU) 附錄 II 及其修正指令(EU) 2015/863: 鉛、鎘、汞、六價鉻、多溴聯苯、多溴二苯醚、鄰苯二甲酸苯基丁酯、鄰苯二甲酸二丁酯、鄰苯二甲酸二(2-乙基己基)酯、鄰苯二甲酸二異丁酯之總含量

Test result 測試結果:

Pass/合格

For and on behalf of
TÜV Rheinland Taiwan Ltd.

Arthur Cheng



2025-02-12
Date 日期

Arthur Cheng/Project Manager
Name/Position 姓名/職位

Report Authenticity Verification, please email: softlines@tw.tuv.com.
報告真實性確認, 如需驗證, 請電郵至 softlines@tw.tuv.com。

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.
This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts.
This test report does not entitle to carry any safety mark on this or similar products.
"Decision Rule" document announced in our website (<https://www.tuv.com/landingpage/en/qm-gcn/>) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.

樣品信息由客戶提供。測試結果根據所做測試的種類和範圍而得出。本測試報告僅對來樣負責。未經本測試中心許可, 測試報告不得部分複製。不能根據此報告在
上述產品或類似產品上使用任何安全標誌。本測試報告中, 描述符合性聲明所應用的判定規則發佈在我司官網 <https://www.tuv.com/landingpage/en/qm-gcn/>。

Test Report No./報告號碼: 48272296c 001

Page 2 of 6
第2頁共6頁**Tested Material list/測試材料清單**

Material No./ 材料編號	Material/材質	Color/顏色	Location/位置
1	Metal/金屬	Metallic/金屬色	TCL250117-11

Test Sample/測試樣品

Test Report No./報告號碼: 48272296c 001

Page 3 of 6
第3頁共6頁

Test Result 測試結果

Test Item/測試項目	Test Method/ 測試方法	Unit / 單位	MDL	Mat.1	Limit/限值
				Result/ 結果	
Cadmium (Cd) / 鎘	With ref. to IEC 62321-5:2013, ICP-OES/參考 IEC 62321-5: 2013,感應耦 合電漿發射光譜儀	mg/kg	2	n.d.	100
Lead (Pb) / 鉛	With ref. to IEC 62321-5:2013, ICP-OES/參考 IEC 62321-5: 2013,感應耦 合電漿發射光譜儀	mg/kg	2	n.d.	1000
Mercury (Hg) / 汞	With ref. to IEC 62321-4: 2013+ AMD1:2017, AAS/ 參考 IEC 62321-4: 2013+ AMD1: 2017, 原 子吸收光譜儀	mg/kg	2	n.d.	1000
Chromium VI (Cr VI) / 六價鉻	With ref. to IEC 62321-7-2:2017, UV-VIS/參考 IEC 62321-7-2: 2017,紫外 光-可見光分光光度計	µg/cm²	0.1	n.d.	-*
Sum of Polybrominated biphenyls (PBBs) / 多溴聯苯總和	With ref. to IEC 62321-6:2015, GC-MS/參考 IEC 62321-6: 2015,氣相層 析儀-質譜儀	mg/kg	-	n.d.	1000
Monobromobiphenyl/一溴聯苯		mg/kg	5	n.d.	-
Dibromobiphenyl/二溴聯苯		mg/kg	5	n.d.	-
Tribromobiphenyl/三溴聯苯		mg/kg	5	n.d.	-
Tetrabromobiphenyl/四溴聯苯		mg/kg	5	n.d.	-
Pentabromobiphenyl/五溴聯苯		mg/kg	5	n.d.	-
Hexabromobiphenyl/六溴聯苯		mg/kg	5	n.d.	-
Heptabromobiphenyl/七溴聯苯		mg/kg	5	n.d.	-
Octabromobiphenyl/八溴聯苯		mg/kg	5	n.d.	-
Nonabromobiphenyl/九溴聯苯		mg/kg	5	n.d.	-
Decabromobiphenyl/十溴聯苯		mg/kg	5	n.d.	-
Sum of Polybrominated diphenyl ethers (PBDEs) / 多溴二苯醚總和		mg/kg	-	n.d.	1000
Monobromodiphenyl ether/一溴二苯醚		mg/kg	5	n.d.	-
Dibromodiphenyl ether/二溴二苯醚		mg/kg	5	n.d.	-
Tribromodiphenyl ether/三溴二苯醚		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether/四溴二苯醚		mg/kg	5	n.d.	-
Pentabromodiphenyl ether/五溴二苯醚		mg/kg	5	n.d.	-
Hexabromodiphenyl ether/六溴二苯醚		mg/kg	5	n.d.	-
Heptabromodiphenyl ether/七溴二苯醚		mg/kg	5	n.d.	-
Octabromodiphenyl ether/八溴二苯醚		mg/kg	5	n.d.	-
Nonabromodiphenyl ether/九溴二苯醚		mg/kg	5	n.d.	-
Decabromodiphenyl ether/十溴二苯醚		mg/kg	5	n.d.	-

Test Report No./報告號碼: 48272296c 001

Page 4 of 6
第4頁共6頁

				Mat.1	Limit/限值
Test Item/測試項目	Test Method/ 測試方法	Unit / 單位	MDL	Result/ 結果	
Phthalates/鄰苯二甲酸酯類					
Benzyl butyl phthalate (BBP)/ 鄰苯二甲酸苯基丁酯	With ref. to IEC 62321-8:2017, GC-MS/ 參考 IEC 62321-8: 2017, 氣相層析儀-質譜儀	mg/kg	50	n.d.	1000
Dibutyl phthalate (DBP)/ 鄰苯二甲酸二丁酯		mg/kg	50	n.d.	1000
Diethylhexyl phthalate (DEHP)/ 鄰苯二甲酸二(2-乙基己基)酯		mg/kg	50	n.d.	1000
Diisobutyl phthalate (DIBP)/ 鄰苯二甲酸二異丁酯		mg/kg	50	n.d.	1000

Notes/ 註釋:

MDL = Method Detection Limit/方法偵測極限值

n.d. = Not Detected/未檢出 ; Less than MDL/小於 MDL

mg/kg = milligram per kilogram/ 毫克每公斤


* Chromium (VI) concentration 六價鉻含量	Qualitative result 定性結果
<0.1µg/cm ²	The sample is negative (-ve) for Cr(VI). The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating. 樣品六價鉻測定結果為陰性。 六價鉻濃度低於定量限，塗層視為非六價鉻塗層。
≥0.1µg/cm ² and ≤0.13 µg/cm ²	The result is considered to be inconclusive. Unavoidable coating variations may influence the determination. Recommendation: if additional samples are available, perform a total of 3 trials to increase sampling surface area. Use the averaged result of the 3 trials for the final determination. 六價鉻測定結果為無法判定。 塗層的差異不可避免的可能影響測定。 推薦：如果有額外的樣品，測試加大樣品表面積的三平行樣。以三平行測試的平均值作為最終測定結果。
>0.13 µg/cm ²	The sample is positive (+ve) for Cr(VI). Concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI). 六價鉻測試結果為陽性。六價鉻濃度高於定量限及統計誤差幅度。樣品塗層視為含有六價鉻。

Test Report No./報告號碼: 48272296c 001

Page 5 of 6
第5頁共6頁

Testing procedure / 測試流程圖:


RoHS (Pb/鉛, Cd/鎘, Hg/汞, Cr(VI)/六價鉻)

Notes/註釋: ¹⁾ For metallic material / 用於金屬物質²⁾ For non-metallic material / 用於非金屬物質

Test Report No./報告號碼: 48272296c 001

Page 6 of 6
第6頁 共6頁**Testing procedure / 測試流程圖：**

RoHS (PBBs/多溴聯苯, PBDEs/多溴二苯醚, BBP/鄰苯二甲酸苯基丁酯、DBP/鄰苯二甲酸二丁酯、DEHP/鄰苯二甲酸二(2-乙基己基)酯、DIBP/鄰苯二甲酸二異丁酯)



--- End of Test-Report / 此報告結束---